


	REVISIONS		
ECO #	DESCRIPTION	DATE	APPROVED
CO-14-010	INITIAL RELEASE FOR PRODUCTION.	03/17/2014	B. MOAK



2	1	
DULE		А
]	Em status led King Red: booting En: Functioning normal E: GPS Locked/1 PPS in	В
4X .375 4X .375 4X .375	_ 53] 75 _	C

ON/OFF SWITCH


APPROPRIATELY LABELED


C&K COMPONENTS P/N: ET01MD1CBE

PROJECT NAME: INTEGRATED DESIGN TOOLS, INC LED ACCESS POINT 1 WEST MOUNTAIN STREET SUITE 3 PASADENA, CA 91103 UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ON: **INTERFACE CONTROL** DOCUMENT, LED ACCESS FRACTIONAL DECIMAL ANGULAR <u>+</u>1/16 .X <u>+</u> .03 <u>+</u>1° .XX <u>+</u> .01 POINT WG. NC RFV 1107-1000 .XXX + .005 В А DO NOT SCALE DRAWING DATE: 3/18/2014 SHEET 2 OF 4 SCALE: 1:1 2 1

Е

D





	PROJECT NAME:	PASADENA, CA 91103				
D	LED ACCESS POINT					
s	UNLESS OTHERWISE SPECIFIED:					
N	DIMENSIONS ARE IN INCHES TOLERANCES ON:	D	DOCUMENT, LED ACCESS			
	FRACTIONAL DECIMAL ANGULAR + 1/16 .X + .03 + 1°					
	.XX + .01	SIZE: I	DWG. N	Э.		REV
)	.XXX <u>+</u> .005	B		1107-1000		A
	DO NOT SCALE DRAWING	SCALE: 1:2		DATE: 3/18/2014	SHEET 4	OF 4
	2		I	1		

D

Е

С

А

В